Prestige electronics

PRODUCTS MADE TO PERFECTION

WINDING RESISTANCE METER



MODEL: PE-18RL

(FOR DISTRIBUTION TRANSFORMERS, MOTORS, GENERATORS)







WE ARE CONDUCTIVE TO RESISTIVE MEASUREMENTS

FEATURES

- 4.5 Digit Display
- 10MVA /33KV to 5KVA
- Max Test Current
 1A Upto 20Ω
- Fast Response
- Single Channel
- 1μΩ Resolution
- OLTC Measurements
- High Accuracy
- Suitable for Heatrun

Testing

GENERAL SPECIFICATIONS

- DISPLAY: 4.5 Digit LED Display
- POWER: $230V \pm 15\%$, 50/60 Hz
- OPERATING TEMP: 5° TO 45° C
- TEMP COEFFICIENT: 80 P.P.M
- OPEN CKT. VOLTAGE: 32 V.DC ± 3 V.DC
- PROTECTION: AGAINST INDUCTIVE BACK EMF/SURGES, OVER TEMPERATURE & POWERFAILURE.

TECHNICAL SPECIFICATIONS

Test Current	Range	Accuracy
I1 (1A)	19.999m Ω , 199.99m Ω , 1.9999 Ω , 19.999 Ω	+/- 0.07% of range +/- 0.07% of reading
I2 (0.1A)	199.99 Ω	+/- 0.07% of range +/- 0.07% of reading
I3 (0.01A)	1.9999 kΩ	+/- 0.1% of range +/- 0.07% of reading

APPLICATIONS

- Distribution
 Transformers
 10MVA/33KV
- Generators
- Motors

ACCESSORIES

- 5m Probe Set
- Crocodile Clip Set
- Instruction Manual
- Mains Cord
- Carrying Case (Optional)





NOTE -: THE SAME MODEL IS ALSO AVAILABLE WITH PC INTERFACE, MEMORY STORAGE & HEATRUN TESTING SOFTWARE.

Prestige electronics

ADDRESS: - 5/265, ASHIRWAD INDL ESTATE, RAM MANDIR

ROAD, GOREGAON (W), MUMBAI: - 400104

TEL/FAX: - 02226763840/02226763911/02266978019

EMAIL: - sales@prestigeelectronics.com

WEBSITE: - www.prestigeelectronics.com

WE ARE CONDUCTIVE TO RESISTIVE MEASUREMENTS
